1090 - 1190 ST PAUL STROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
1/9/06 9:54	2006000580	412	1090	ST PAUL ST	NATURAL GAS OUTSIDE FD COULD NOT FIND SOURCE, RG&E TO INVESTIGATE. PROPERTY MANAGER ON SCENE 1 SMALL LEAK DETECTED IN BASEMENT OF 1090 RG&E NOTIFIED BY DISPATCHER.
5/28/06 1:40	2006011106	311	1090	ST PAUL ST	EMS- AMBULANCE @ PT. WITH RFD AMBULANCE TO HANDLE NO PT. CONTACT/ NO PCR
2/6/07 20:08	2007003033	521	1090	ST PAUL ST	WATER PIPE BROKEN IN APT 5, FD REPAIRED PIPE WITH EXISTING HARDWARE, WATER REMOVED FROM APTS 3, 1 AND, HALLWAY. PROPERTY REP ON SCENE CONTACTED ELECTRICIAN TO DEAL WITH WATER FROM CEILING LIGHTS.
5/31/07 11:23	2007012885	412	1090	ST PAUL ST	Call for fumes in apt.#5 minor leak found on supply connection, Terry Wallace (building maintenance) on site and beginning repairs.
2/23/09 18:40	2009004563	321	1090	ST PAUL ST	EMS FOR 1 YO MALE WITH BRUISE/CUT TO THE FACE FROM FALL.
4/14/09 16:22	2009008802	311	1090	ST PAUL ST	ems for 18 yo female asthma. rfd and rural metro on location at the same time. patient outside the residence rfd assisted with boarding the patient on the ambulance
4/18/09 22:37	2009009198	743	1090	ST PAUL ST	Smoke alarm set off by cooking in basement apartment.
5/17/10 23:24	2010011344	736	1090	ST PAUL ST	error in newly installed co detector.
3/1/11 13:22	2011005109	321	1090	ST PAUL ST	ems - see pcr
4/4/13 22:33	2013007893	311	1090	ST PAUL ST	EMS CALL. AMBULANCE ALREADY ON SCENE HANDLED ALL MEDICAL CARE.
3/21/06 17:33	2006005829	412	1100	ST PAUL ST	FUMES CALL
8/12/06 21:04	2006018072	154	1100	ST PAUL ST	SMALL RUBBISH FIRE IN DUMPSTER. NO SUSPECTS.
8/12/07 9:42	2007019631	311	1100	ST PAUL ST	ems- stroke
9/3/10 16:51	2010021238	321	1100	ST PAUL ST	- EMS, SEE PCR - RURAL-METRO ALS TO HANDLE
5/8/12 8:49	2012010677	736	1100	ST PAUL ST	REPORT OF CO DETECTOR ACTIVATED WITH PERSON WITH HEADACHE. NO READINGS FOUND ON ARRIVAL. CO DETECTOR IN APT. 2 AND 3 SOUNDING FOR LOW BATTERY. AMBULANCE ON SCENE HANDLED SIGN OFF FOR PERSON REFUSING MEDICAL TREATMENT. FD LEFT MESSAGE FOR LANDLORD AT 423-0091 TO REPLACE BATTERIES IN DETECTORS. RG&E TO FOLLOW UP.
10/11/12 9:38	2012025674	311	1100	ST PAUL ST	EMS CALL. AMBULANCE ALREADY ON SCENE HANDLED ALL MEDICAL CARE.
2/26/06 23:34	2006004098	300	1102	ST PAUL ST	EMS - Maternity
3/13/06 11:56	2006005207	311	1102	ST PAUL ST	EMS
5/12/06 6:37	2006009869	311	1102	ST PAUL ST	EMS FOR 1YO TR/BREATHING
9/15/06 20:45	2006020746	311	1102	ST PAUL ST	EMS AMB ON LOC NO PT CONTACT
10/27/06 22:59	2006024215	300	1102	ST PAUL ST	EMS ON LOCATION WITH AMB AMB TO HANDLE
8/23/07 7:18	2007020606	311	1102	ST PAUL ST	EMS FOR 24 Y.O. MALE HAVING ABDOMEN PAIN AND TROUBLE BREATHING. ON SCENE WITH AMBULANCE.
8/14/08 18:25	2008020157	412	1102	ST PAUL ST	MINOR LEAK AT STOVE, MS. DIAZ TO WAIT FOR RG&E
9/22/08 20:23	2008023861	671	1102	ST PAUL ST	REPORTED NATURAL GAS LEAK BY STOVE. RPD ON SCENE. FD FOUND NO LEAK. RG&E ON SCENE WILL FOLLOW UP.
3/15/09 20:18	2009006282	311	1102	ST PAUL ST	ems ambulance handled
8/30/10 13:09	2010020835	321	1102	ST PAUL ST	ems- see pcr

1090 - 1190 ST PAUL STROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
10/20/12 0:42	2012026544	321	1102	ST PAUL ST	EMS for a one year-old male having a seizure. Engine 2 arrived on scene with the police, and the ambulance arrived at 00:50 hours. One Firefighter assisted the ambulance with patient care en route to Strong Memorial Hospital.
1/9/08 5:27	2008000737	444	1104	ST PAUL ST	TREES DOWN POWER OUTAGE
6/3/06 10:47	2006011689	111	1104	ST PAUL ST	Fire in bedroom of apartment #3. Fire originating on mattress, minor extension. Building representative responded. Red Cross to assist occupants.
11/7/07 17:13	2007027181	300	1104	ST PAUL ST	EMS ON LOCATION WITH AMB AMB TO HANDLE
12/5/07 6:24	2007029436	321	1104	ST PAUL ST	RESPONDED EMS FOR AN ALLERGIC REACTION. FD ON SCENE WITH THE AMBULANCE, NO PATIENT CONTACT.
12/12/07 2:57	2007030081	300	1104	ST PAUL ST	EMS ON LOCATION WITH RM RM TO HANDLE
2/12/09 9:29	2009003708	400	1104	ST PAUL ST	NATURAL GAS FROM HOT WATER HEATER. QUINT6 SECURED THE HOT WATER HEATER, SHUT GAS AND WATER OFF. RG&E WAS ON LOCATION. QUINT 6 RETURNED TO SERVICE
12/28/12 22:15	2012032945	321	1104	ST PAUL ST	EMS CALL. SEE PCR
6/11/13 13:53	2013013919	412	1104	ST PAUL ST	Report of the odor of natural gas in the parking lot, the source of the odor was an underground leak that was recently repaired by RG&E. RG&E responded to handle the incident.
2/23/08 6:15	2008004982	600	1106	ST PAUL ST	Beeping noise coming from superintendent/rental office for apartments. Tenant across hall (apt 1) stated no one lives there and had no contact number. Dispatch had no contact either. Noise sounded like a pager or alarm clock. Was able to look in mail slot and window/ no smoke or fire. Tenant across the hall was going to try to find a phone number for the property rep. and contact them in the morning.
5/16/06 8:11	2006010198	321	1106	ST PAUL ST	EMS - TROUBLE BREATHING
9/9/07 11:29	2007022141	550	1106	ST PAUL ST	PERSON LOCKED OUT OF APT. HE GAINED ENTRY ON HIS OWN
10/25/08 20:10	2008027007	111	1106	ST PAUL ST	Grease flare up on stove. Heavy smoke condition on second and third floors. Damage contained to stove. RG&E to scene to "Red Tag" stove until tenant can de-grease unit.
2/10/11 14:36	2011003503	321	1106	ST PAUL ST	EMS FOR GENERAL ILLNESS AND FATIGUE. SEE PCR FOR FURTHER INFORMATION.
4/3/11 23:40	2011007957	311	1106	ST PAUL ST	EMS FOR FEMALE ACTING STRANGE AND ALTERED LEVEL OF CONSCIOUNESS, R/M ON LOCATION TO HANDLE CARE
5/30/13 11:52	2013012806	412	1106	ST PAUL ST	REPORT OF ODOR OF NATURAL GAS OUTSIDE. FD FOUND GAS LEAKING FROM BENEATH PRIOR EXCAVATION SITE IN PARKING LOT. RG&E RESPONDED AND WILL HANDLE.
3/6/06 21:23	2006004688	321	1108	ST PAUL ST	EMS- CHEST PAIN
8/19/06 13:06	2006018630	311	1108	ST PAUL ST	ems for trouble breathing
11/10/07 20:14	2007027443	381	1108	ST PAUL ST	SEE Q6 REPORT. EMS NO EMS RENDERED. RPD INTERVIEWING PEOPLE ON SCENE RFD WENT INTO SERVICE WITHOUT OBTAINING NAMES OF INDIVIDUALS SO AS TO ALLOW RPD INVESTIGATION TO CONTINUE UNINTERUPTED.
5/9/10 13:43	2010010649	311	1108	ST PAUL ST	EMS, R/M ON LOCATION TO HANDLE CARE
1/10/11 5:23	2011000780	311	1108	ST PAUL ST	EMS FOR A STABBING, RPD ANAD R/M ON LOCATION. MALE STABBED IN THE ARM. R/M TO HANDLE CARE

1090 - 1190 ST PAUL STROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
6/30/11 20:15	2011015730	151	1108	ST PAUL ST	papers burned in schoolyard. c91 and c98 called as q6 witnessed suspects running from scene.
5/19/12 13:03	2012011687	321	1108	ST PAUL ST	EMS CALL. SEE PCR.
4/22/08 12:48	2008010067	311	1110	ST PAUL ST	EMS- TR BREATHING AMBULANCE TO HANDLE NO PT. CONTACT/ NO PCR
11/27/06 17:08	2006026635	311	1110	ST PAUL ST	EMS
1/25/07 22:55	2007001967	321	1110	ST PAUL ST	EMS TROBLE BREATHING
10/25/07 15:24	2007026025	531	1110	ST PAUL ST	SMOKE IN APT. FROM OVERCOOKED FOOD, Q/M 6 TO VENTILATE, NO STRUCTURAL DAMAGE FROM INCIDENT.
12/5/08 20:39	2008030548	531	1110	ST PAUL ST	Smoke from cooking
10/28/09 9:17	2009026028	311	1110	ST PAUL ST	EMS FOR 22 YO FEMALE ON LOCATION WITH AMBULANCE. RURAL METRO HANDLED PATIENT CARE UPON ARRIVAL
5/22/08 21:20	2008012630	311	1112	ST PAUL ST	EMS-WITH AMBULANCE.
7/17/09 6:33	2009016998	311	1112	ST PAUL ST	EMS. AMBULANCE ON SCENE HANDLED.
1/11/11 16:19	2011000931	412	1112	ST PAUL ST	NATURAL GAS LEAK AT THE STOVE, RFD SHUT GAS TO UNIT OFF. RGE ON LOCATION TO CHECK FURTHER
3/17/11 13:10	2011006463	311	1112	ST PAUL ST	EMS FOR TROUBLE BREATHING, R/M ON LOCATION TO HANDLE CARE
5/18/11 8:37	2011011713	311	1112	ST PAUL ST	EMS. RMMS to handle
5/17/12 2:52	2012011478	311	1112	ST PAUL ST	Responded ems for trouble breathing. Patient care handled by the ambulance.
7/11/12 10:12	2012016642	412	1112	ST PAUL ST	Natural gas leak from the shut off behind the stove. Maintenance and RG&E handling repairs.
8/6/12 19:42	2012019326	311	1112	ST PAUL ST	RELEASED BY AMBULANCE PRIOR TO ENTERING HOUSING UNIT. NO PATIENT CONTACT. NO PCR GENERATED. AMBULANCE HANDLED.
11/27/12 9:12	2012030175	412	1112	ST PAUL ST	Natural gas leak from stove. Conifer Realty maintenance technician (Juan Collazo) met us and opened apartment door as the tenant was not on location. Upon investigation, the stove was determined to have a leak in the broiler and behind the stove at the union. Gas to stove was turned off and the maintenance tech informed us that a new stove would be installed. RGE was cancelled by RFD.
5/22/08 19:30	2008012617	900	1120	ST PAUL ST	HYDRANT OOS
6/1/06 9:53	2006011485	300	1120	ST PAUL ST	EMS NO PT CONTACT
6/10/07 11:04	2007013856	311	1120	ST PAUL ST	EMS WAVE OFF BY RMMS NO PT CONTACT
7/8/07 0:40	2007016441	311	1120	ST PAUL ST	EMS - TROUBLE BREATHING
11/7/07 22:30	2007027211	321	1120	ST PAUL ST	EMS - 2 YEAR OLD HAVING ASTHMA ATTACK
1/9/09 0:42	2009000726	321	1178	ST PAUL ST	EMS FOR TROUBLE BREATHING AT REQUEST OF RPD. AMBULANCE ON LOACTION ON OUR ARRIVAL. AMBULANCE HANDLE WITHOUT OUR ASSISTANCE
1/14/08 14:12	2008001334	311	1180	ST PAUL ST	EMS - CHILD NOT BREATHING- AMB HANDLED, NO PT CONTACT
1/15/08 15:56	2008001414	321	1180	ST PAUL ST	EMS TROUBLE BREATHING AMB HANDLED
1/22/08 13:40	2008002025	713	1180	ST PAUL ST	RESPONDED FOR A DISPATCHERS FALSE CALL. CHILD CALLER REPORTED A FIRE AT THE SCHOOL AND HUNG UP. NO PROBLEM FOUND.
2/29/08 16:58	2008005537	510	1180	ST PAUL ST	RESPONSE FOR SEVERAL PEOPLE STUCK IN AN ELEVATOR. THEY WERE OUT OF ELEVATOR UPON OUR ARRIVAL.

1090 - 1190 ST PAUL STROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
5/1/08 11:49	2008010815	311	1180	ST PAUL ST	RESPONDED FOR THE TROUBLE BREATHING. AMBULANCE ON SCENE. CANCELLED FD PRIOR TO PATIENT CONTACT.
5/6/08 19:58	2008011278	712	1180	ST PAUL ST	person pulled fire alarm security looked at the tap and was going to foloow up on a suspect
6/5/08 13:18	2008013757	311	1180	ST PAUL ST	EMS - CHILD THAT FELL FROM THE TOP OF A SLIDE PLATFORM, APPROX. 6 FEET / NO PT. CONTACT AMBULANCE ON SCENE TO HANDLE
11/7/06 13:30	2006025077	321	1180	ST PAUL ST	EMS 12 Y/O HAVING ASTHMA ATTACK
12/19/06 15:54	2006028420	118	1180	ST PAUL ST	Papers set on fire in bathroom. Car 90 responded to investigate.
1/18/07 13:15	2007001373	711	1180	ST PAUL ST	PULL BOX PULLED BY STUDENT - CAR 96 TO HANDLE INTERVENTION WITH CHILD - SYSTEM RESET BY MAINTENANCE PERSONNEL
2/14/07 7:35	2007003687	520	1180	ST PAUL ST	WATER PROBLEM
3/7/07 12:48	2007005392	733	1180	ST PAUL ST	FOUND SMOKE HEAD TRIPPED IN GYMNASIUM, NO EMERGENCY EXISTED. SCHOOL MAINT. TO HANDLE
6/5/07 11:16	2007013390	531	1180	ST PAUL ST	Report of smoke in the area. A principal at the school thought he smelled smoke. The companies checked the area with negative results.
6/14/07 8:48	2007014222	321	1180	ST PAUL ST	EMS FOR 11 YO MALE
8/31/07 0:12	2007021309	700	1180	ST PAUL ST	False Call
9/23/07 0:15	2007023273	713	1180	ST PAUL ST	MALLICIOUS FALSE CALL.
11/20/07 12:17	2007028194	300	1180	ST PAUL ST	EMS 5 YO ASTHMA ATTACK/DIFF SPEAKING
6/29/08 13:03	2008015985	311	1180	ST PAUL ST	EMS - Fall / Maternity
10/12/08 15:01	2008025761	321	1180	ST PAUL ST	EMS, MAN DOWN AFTER FOOTBALL ACCIDENT
11/12/08 11:04	2008028551	311	1180	ST PAUL ST	EMS FOR 10YO WITH NO CAUSE OF HER PROBLEM NOT SPEAKING RMMS TO HANDLE
12/4/08 9:05	2008030399	321	1180	ST PAUL ST	EMS - 6 YEAR OLD MALE WITH TROUBLE BREATHING - POSSIBLE ASTHMA ATTACK
12/27/08 5:49	2008032484	735	1180	ST PAUL ST	FALSE CALL. DUCT DETECTOR ACTIVATED. NO CAUSE FOUND. AVOIDABLE ALARM REPORT ISSUED. SECURITY ON LOCATION RESET SYSTEM.
12/27/08 7:22	2008032489	730	1180	ST PAUL ST	TROUBLE WITH THE SYSTEM, AVOIDABLE SENT IN
12/29/08 16:25	2008032812	745	1180	ST PAUL ST	AUTOMATIC ALARM, REOCCURRING TROUBLE WITH THE SYSTEM, SYSTEM RESET AND AVOIDABLE SENT IN
2/10/09 14:20	2009003553	735	1180	ST PAUL ST	FALSE AUTOMATIC ALARM. BUILDING CHECKED. NO CAUSE FOUND. POSSIBLE FAULTY DUCTWORK SMOKE DETECTOR. AVOIDABLE ALARM REPORT ISSUED.
2/27/09 8:48	2009004837	733	1180	ST PAUL ST	AUTOMATIC ALARM ACTIVATED, SCHOOL MAITAINANCE ON LOCATION WITH A FAULTY HEAD. THEY WILL HANDLE REPAIRS AND NOTIFY 911 WHEN RESET
4/6/09 15:18	2009008146	311	1180	ST PAUL ST	EMS FOR AN 11 YOA FEMAILE WITH SEIZURES. CONSCIOUS BUT NOT ALERT, AMB ON LOCATIO TO TRANSPORT
1/6/10 13:05	2010000428	735	1180	ST PAUL ST	Box alarm transmition at ps #8. System reset upon our arrival. Checked Bldg. w/ maintenance. No problems found
3/18/10 10:59	2010006206	321	1180	ST PAUL ST	EMS FOR A 7 YEAR OLD FEMALE PASSED OUT. REFUSING TO RESPOND TO US.
3/30/10 14:02	2010007186	321	1180	ST PAUL ST	EMS FOR CHILD NOT ALERT. SEE PCR.

1090 - 1190 ST PAUL STROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
7/20/10 10:04	2010017228	743	1180	ST PAUL ST	RESPOND TO ALARM ACTIVATION AT THE SCHOOL, CAUSED BY WORKERS IN CAFATERIA DUST OPERATION. SYSTEM RESET
3/2/11 18:04	2011005210	745	1180	ST PAUL ST	alarm pulled by maint. working in cafeteria, no real plausible reason. through broken english they said that a series of calamities including they being new caused box to be pulled.
3/22/11 8:52	2011006916	311	1180	ST PAUL ST	ems released from scene by rmms as we approached pt.
4/28/11 8:26	2011009990	321	1180	ST PAUL ST	- EMS, SEE PCR - RURAL-METRO ALS TO HANDLE
9/8/11 8:46	2011022282	745	1180	ST PAUL ST	SMOKE HEAD IN RM 228 ACTIVATED THE SYSTEM FOR NO APPARENT REASON. SYSTEM RESET OK. AAR WRITTEN.
10/13/11 16:20	2011025502	321	1180	ST PAUL ST	EMS 5 y.o. male with a broken arm, from a fall at the playground. Assisted ambulance with splinting and packaging.
10/30/11 14:12	2011027051	713	1180	ST PAUL ST	Responded for possible dispatchers false call from 1180 St. Paul (PS#8) for a fire near a green house/ child caller and hang up. Q/M 6 on location with RPD. Checked area with nothing found. RPD checked school. School personnel knew nothing but will check further. False Call
9/4/12 19:20	2012022096	440	1180	ST PAUL ST	LIGHT POLE DOWN ON GROUND IN BACK OF SCHOOL NEAR WALKWAY. LIGHT STILL ENERGIZED. FOUND JANITOR IN SCHOOL. TURNED OFF BREAKER TO LIGHT TO DE-ENERGIZE. TAPED OFF LIGHT WITH CAUTION TAPE. DISPATCH CONTACTED SCHOOL SECURITY AND RGE AND ADVISED THEM OF PROBLEM.
9/13/12 9:58	2012022956	321	1180	ST PAUL ST	EMS response for the 9 year old male experiencing an asthma attack. We arrived at the school nurse's office where the patient was located, and administered patient care until being relieved by the ambulance crew.
10/4/12 13:10	2012024990	321	1180	ST PAUL ST	EMS- 1 PCR
5/23/13 11:48	2013012209	111	1180	ST PAUL ST	Custodian was notified by vice-principal about ashes on 3rd fl landing; south/adjacent of main entrance. Custodian found ashes, realized they were from a burned poster and pulled box for FD. Upon arrival, most of ashes were cleaned up. It appears someone lit poster on fire. Fire out on arrival. Custodian opened door at top of stairwell prior to arrival. No other signs of fire found in stairwell or hallways next to stairs. Custodian reset alarm and children allowed back in. C94 responded for investigation.
6/14/13 9:29	2013014173	113	1180	ST PAUL ST	Smoke from burnt popcorn set off the alarm. Fire contained to the popcorn machine. Smoke was vented. School staff moved the popcorn maker outdoors to continue making popcorn. Alarm was reset by school staff
6/17/13 12:43	2013014456	311	1180	ST PAUL ST	EMS- ON SCENE WITH AMBULANCE.

1090 - 1190 ST PAUL STROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
7/16/13 6:52	2013017325	160	1180	ST PAUL ST	SMALL FIRE IN PILE OF CLOTHES IN FIELD BEHIND SCHOOL 8 ACROSS STREET FROM #56 AVE. A. FD EXTINGUISHED WITH WATER EXTINGUISHER. RPD ON SCENE HAD THE FOLLOWING INFO: CLOTHING BELONGED TO SHAKIRA COLON OF 55 HARRIS ST. 787-901-3832. SUSPECT JEAN CARLOS HERNANDEZ. E2 NOTIFIED FIRE INVESTIGATION. RPD STOOD BY AT SCENE. FIRE INVESTIGATION FOLLOWED UP.
9/10/13 13:40	2013022546	321	1180	ST PAUL ST	EMS FOR 13 YO WITH DIFFICULTY BREATHING.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0015056	7/22/00	35	122 HARRIS PK	AGE 9 YOUTH TRAPPED IN A TREE
0122742	11/02/01	31	122 HARRIS PK	EMS REQUEST BY POLICE, RPD 246B CANCELLED FIRE DEPT AT 09:18.
0209930	5/19/02	53	122 HARRIS PK	ODOR OF BURNING, CAUSED BY A STICK OF INCENSE LEFT IN A POTTED PLANT.
0305576	3/14/03	41	122 HARRIS PK	PAINT FUMES MISTAKEN FOR NAT GAS.
8901455	2/11/89	53	122 HARRIS PK	OVERLOADED WASHING MACHINE CAUSING BELT TO SLIP AND SMOKE. MAINTENANCE MAN ON SCENE. 89042/0849
9105256	4/03/91	25	122 HARRIS PK	SCORCH BURNS, NO IGNITION IN DUMPSTER.
9212785	10/13/92	32	122 HARRIS PK	PERSON REPORTED BURNED.INCIDENT TURNED OUT TO BE A POLICE PROBLEM.
9212831	10/14/92	41	122 HARRIS PK	REPORT OF NATURAL GAS IN THE AREA. CHECKED IT OUT WITH RGE AND UNABLE TO FIND ANYTHING.
9507056	6/03/95	41	122 HARRIS PK	CAR LEAKING GAS
9813447	8/04/98	32	122 HARRIS PK	PATIENT WAS DOA ON ARRIVAL SEE PCR 40548282
9916967	8/11/99	53	122 HARRIS PK	ODOR IN HALLWAY CREATED BY GRILL AND STORED IN HALL

ROCHESTER FIRE DEPARTMENT
ALL RUNS - SPECIFIC ADDRESS
122 Harris Park

DATE			SITUATION		ADDRESS	REMARKS
2/21/09	6:43 pm	2009004449	511	122	HARRIS PK	CHILD LOCKED IN THE BATHROOM. CHILD REMOVED SAFELY
4/13/12	7:52 pm	2012008618	321	122	HARRIS PK	EMS, see PCR
4/19/12	1:19 pm	2012009074	311	122	HARRIS PK	E.M.S. POSS. INTOX POLICE AND AMBULANCE HANDLED
5/31/12	1:10 pm	2012012841	321	122	HARRIS PK	ems

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0015056	7/22/00	35	122 HARRIS PK	AGE 9 YOUTH TRAPPED IN A TREE
0122742	11/02/01	31	122 HARRIS PK	EMS REQUEST BY POLICE, RPD 246B CANCELLED FIRE DEPT AT 09:18.
0209930	5/19/02	53	122 HARRIS PK	ODOR OF BURNING, CAUSED BY A STICK OF INCENSE LEFT IN A POTTED PLANT.
0305576	3/14/03	41	122 HARRIS PK	PAINT FUMES MISTAKEN FOR NAT GAS.
8901455	2/11/89	53	122 HARRIS PK	OVERLOADED WASHING MACHINE CAUSING BELT TO SLIP AND SMOKE. MAINTENANCE MAN ON SCENE. 89042/0849
9105256	4/03/91	25	122 HARRIS PK	SCORCH BURNS, NO IGNITION IN DUMPSTER.
9212785	10/13/92	32	122 HARRIS PK	PERSON REPORTED BURNED.INCIDENT TURNED OUT TO BE A POLICE PROBLEM.
9212831	10/14/92	41	122 HARRIS PK	REPORT OF NATURAL GAS IN THE AREA. CHECKED IT OUT WITH RGE AND UNABLE TO FIND ANYTHING.
9507056	6/03/95	41	122 HARRIS PK	CAR LEAKING GAS
9813447	8/04/98	32	122 HARRIS PK	PATIENT WAS DOA ON ARRIVAL SEE PCR 40548282
9916967	8/11/99	53	122 HARRIS PK	ODOR IN HALLWAY CREATED BY GRILL AND STORED IN HALL

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0408316	4/15/04	53	8 HUNTINGTON PK	SMOKE FROM WOOD BURNING STOVE.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0107399	4/16/01	69	10 HUNTINGTON PK	GOOD INTENT CALL. NO NEED FOR FIRE DEPT.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0210128	5/22/02	31	12 HUNTINGTON PK	EMS, NO PT CONTACT.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0012661	6/21/00	41	28 HUNTINGTON PK	SMALL AMOUNT OF GASOLINE POURED INTO SEWER

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0207466	4/15/02	31	40 HUNTINGTON PK	EMS, BROKE LEG, AMB ON SCENE SAME TIME AS RFD, NO PT CONTACT.
0208091	4/23/02	31	40 HUNTINGTON PK	EMS FOR SHORTNESS OF BREATH, NO PT CONTACT.
0418927	8/28/04	11	40 HUNTINGTON PK	BURNT FOOD, Q6 VENTILATED, APT 3.
0508842	4/27/05	31	40 HUNTINGTON PK	EMS, RECTAL BLEED, ON LOC WITH AMB, NO PT CONTACT.
8109044	11/11/81	38	40 HUNTINGTON PK	SMOKE DETECTOR WAS PRODUCING AN INTERMITTENT ALARM. BATTERY REMOVED BY POLICE PRIOR TO OUT ARRIVAL.
8201284	2/11/82	32	40 HUNTINGTON PK	MAGEE YOUNGES HAVING TROUBLE BREATHING;ADM.O2 TO HER TILL NAT.ARRIVED. TAKEN TO STRONG, AGE 67.
8205433	6/30/82	32	40 HUNTINGTON PK	OXYGEN RUN, MAGEE YOUNG, AGE 65 TAKEN BY MONROE AMBULANCE TO STRONG HOSPITAL AMB.CODE 9 0243.
8207122	8/23/82	32	40 HUNTINGTON PK	OXYGEN ADMINISTERED TO REGGIE YOUNG, AGE 67 YRS., REMOVED BY MONROE AM -BULANCE CODE 9, 0324.
8209969	11/26/82	32	40 HUNTINGTON PK	ASSIST MONROE AMBULANCE WITH PATIENT OF HEART CONDITION.
8300392	1/14/83	31	40 HUNTINGTON PK	OXYGEN ADMINISTERED TO MAGGIE YOUNG, REMOVED BY MONROE AMBULANCE. FF RICHARD MARSHALL INJURED.
8302531	3/30/83	31	40 HUNTINGTON PK	EMS RUN-AMBULANCE ON SCENE AHEAD OF ENGINE 2 AND HANDLED THE SITUATION . MONROE CODE 9 2041.
8303081	4/18/83	31	40 HUNTINGTON PK	MONROE CODE 9 AT 0446 - PATIENT,MAGGIE YOUNG,AGE 68,APT. 2.
8303667	5/10/83	31	40 HUNTINGTON PK	ASSISTED MAGGIE YOUNG WITH OXYGEN FOR TROUBLE BREATHING, T-6 WAS ALSO SENT FOR POSSIBLE FORCIBLE ENTRY
8303806	5/14/83	31	40 HUNTINGTON PK	ADMINISTERED OXYGEN TO MAGGIE YOUNG OF 40 HUNTINGTON PARK, MONROE AMBU -LANCE CODE 9 1405.
8305367	7/02/83	51	40 HUNTINGTON PK	LOCKOUT, STOODBY FOR POLICE WHO GOT KEY FROM SUPERINTENDENT.
8305585	7/08/83	31	40 HUNTINGTON PK	MAGGIE YOUNG,AGE 68 TO STRONG HOSPITAL,MONROE AMBULANCE.
8305894	7/17/83	31	40 HUNTINGTON PK	ADM.OXY.TO MAGGIE YOUNGS,APT. 2,AGE 62. MONROE AMB. CODE 9 AT 1012, TOOK PATIENT TO STRONG HOSP.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8306416	8/02/83	31	40 HUNTINGTON PK	MAGGIE YOUNG, AGE 64 TAKEN TO ROCHESTER GENERAL HOSPITAL BY MONROE AMB -ULANCE CODE 9 AT 0202.
8310715	12/25/83	31	40 HUNTINGTON PK	MAGGIE YOUNG, AGE 63, TAKEN BY MONROE TO ROCH GENERAL C-9 1852
8401038	2/08/84	31	40 HUNTINGTON PK	OXYGEN NOT NEEDED-MAGGIE YOUNG REFUSED AMBULANCE-CHOKED ON ORANGE PEEL
8501397	2/17/85	11	40 HUNTINGTON PK	ALL ITEMS WERE CARRIED OUTSIDE & EXTINGUISHED. T06 USED FAN TO EXPEL S MOKE. MATTRESS-BEDDING-SPRINGS.
8501399	2/17/85	17	40 HUNTINGTON PK	
9413384	10/21/94	55	40 HUNTINGTON PK	RESPONDED TO CHECK SMOKE DETECTOR. HAD TO FORCE ENTRY. RPD 287 HANDLED INCIDENT.
9413503	10/23/94	79	40 HUNTINGTON PK	FALSE CALL BY PERSON CONFUSED DUE TO LACK OF MEDICATION. FAMILY TOOK C USTODY OF PERSON
9515181	11/04/95	53	40 HUNTINGTON PK	FOOD LEFT IN OVEN, Q6 VENTILATED IN APT 3.
9708410	6/01/97	31	40 HUNTINGTON PK	DIABETIC PROBLEM AMB ON SCENE FIRST NO PT CONTACT
9805730	4/08/98	32	40 HUNTINGTON PK	EMS FOR MATURNITY NO PT CONTACT
9819608	10/29/98	31	40 HUNTINGTON PK	CHEST PAIN
9822106	12/04/98	32	40 HUNTINGTON PK	EMS SEE PCR 40549193 UNRESPONSIVE

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0026489	12/24/00	32	42 HUNTINGTON PK	EMS, CHEST PAIN, PCR #05026128.
0425789	11/19/04	31	42 HUNTINGTON PK	EMS, MATERNITY, R/M ON SCENE TO HANDLE, NO CONTACT, APT 5.
0507012	4/03/05	31	42 HUNTINGTON PK	EMS FOR DIABETIC WOMAN WHO WAS NOT TAKING MEDS OR EATING, PCR.
8504118	5/17/85	11	42 HUNTINGTON PK	T06 VENTILATED APARTMENT 3. FOOD ON STOVE. PAN REMOVED TO EXTERIOR.
9618342	12/27/96	61	42 HUNTINGTON PK	ASSIST NAT'L W/ LIFTING, CALLED OFF BEFORE ARRIVAL
9718310	11/10/97	53	42 HUNTINGTON PK	SMOKE FR BURNING INCENSE NO FIRE INCENSE BEING BURNED IN APT 3
9910721	5/21/99	16	42 HUNTINGTON PK	DUMPSTER FIRE BEHIND THIS ADDRESS NO EXTENSION

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0008137	4/24/00	41	44 HUNTINGTON PK	EMS FOR PERSON DOWN FORCED ENTRY M6 WENT ON LOCATION W/ RURAL METRO___ NO FORCED ENTRY NEEDED
0115616	8/03/01	31	44 HUNTINGTON PK	EMS - ASSAULT. AMB. IN FIRST, THEY RELEASED US UPON ARRIVAL.
0205719	3/20/02	32	44 HUNTINGTON PK	EMS, NO PT CONTACT D/T PT MENTAL STATUS, PT WOULDN'T OPEN DOOR, WINDOW S LOCKED, OPENED DOOR FOR R/M.
0208163	4/24/02	31	44 HUNTINGTON PK	EMS, NO PT CONTACT, PT GAVE GIRLFRIEND OK TO TAKE 3 CHILDREN, CHILDREN @ 46 HUNTINGTON PK, APT 3.
0221559	10/15/02	53	44 HUNTINGTON PK	PAN LEFT IN OVEN, NO FIRE, Q6 VENTILATED.
0308583	4/16/03	31	44 HUNTINGTON PK	EMS, AMB IN WITH US.
0318853	8/17/03	31	44 HUNTINGTON PK	POLICE & R/M HANDLED,REPORTED BURN FROM SCALDING, 1ST DGREE, OKAY.
0318908	8/18/03	31	44 HUNTINGTON PK	EMS CHEST PAINS, ABL, NO PT CONTACT.
0322333	9/29/03	31	44 HUNTINGTON PK	EMS, MATERNITY, R/M TO HANDLE.
0326430	11/20/03	31	44 HUNTINGTON PK	2YO ALREADY IN AMB, NO CONTACT.
0328534	12/18/03	41	44 HUNTINGTON PK	GAS LEAK AT SHUT OFF FOR FURNACE, RG&E ON SCENE.
0411255	5/23/04	61	44 HUNTINGTON PK	AMB REQUEST FOR FORCED ENTRY, ENTRY GAINED PRIOR TO RFD ARRIVAL.
0510530	5/20/05	17	44 HUNTINGTON PK	MOLITOV COCKTAIL THROWN IN VEH,ACCELERANT DID NOT IGNITE,REAR WINDOW B ROKEN W/ROCK BOTTLE THROWN IN.
9204953	5/03/92	31	44 HUNTINGTON PK	APT 2, NATIONAL ON SCENE PRIOR TO FD, NO NEED FOR RFD NO PATIENT CONTA CT.
9500033	1/01/95	16	44 HUNTINGTON PK	DUMPSTER FIRE IN PARKING LOT AT APARTMENT COMPLEX.
9513998	10/12/95	31	44 HUNTINGTON PK	EMS, TROUBLE BREATHING, NO MEDICAL TREATMENT GIVEN. NATIONAL HANDLED & TRANSPORTED.
9514761	10/26/95	32	44 HUNTINGTON PK	CHILLS, DIALYSIS PATIENT.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9717269	10/22/97	32	44 HUNTINGTON PK	EMS PT REFUSED TREATMENT PCR 43516504
9916904	8/10/99	41	44 HUNTINGTON PK	FUMES FROM STOVE RGE TO HANDLE

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0005049	3/09/00	41	46 HUNTINGTON PK	GAS LEAK FROM STOVE AND SHUT OFF BEHIND STOVE RGE ON SCENE & HANDLED__ NO CO LEVELS
0007472	4/14/00	41	46 HUNTINGTON PK	MINOR GAS LEAK FOUND FROM PILOT LIGHTS BEING OUT RGE ON LOCATION AT___ 2007 NO READINGS ON METER
0012470	6/19/00	41	46 HUNTINGTON PK	GAS LEAK AT STOVE RGE ON SCENE AT 911 AND HANDLED
0112622	6/24/01	41	46 HUNTINGTON PK	GAS LEAK OUTSIDE AT METER. HANDLED BY RG&E. RG&E ON LOCATION AT 20:56.
0328167	12/14/03	31	46 HUNTINGTON PK	EMS.
0400102	1/02/04	32	46 HUNTINGTON PK	EMS, VOMITING BLOOD.
0401538	1/20/04	31	46 HUNTINGTON PK	EMS FOR MATERNITY, NO PT CONTACT.
0404056	2/18/04	31	46 HUNTINGTON PK	EMS ASTHMA.
0508777	4/26/05	31	46 HUNTINGTON PK	EMS, CHEST PAINS, WAVED OFF BY AMB, NO PT CONTACT.
0517143	8/05/05	33	46 HUNTINGTON PK	PARENTS LOCKED OUT, CHILDREN LOCKED IN, ENTRY GAINED PRIOR TO RFD ARRI VAL.
0528203	12/24/05	31	46 HUNTINGTON PK	EMS PREGNANT 18YO AT PT W/AMB.
8003216	5/02/80	35	46 HUNTINGTON PK	SLIGHT ODOR OF NATURAL GAS-VENTED. CODE 7 INSIDE.
9302794	3/05/93	33	46 HUNTINGTON PK	FORCED ENTRY, RPD ON LOCATION.
9513355	9/30/95	52	46 HUNTINGTON PK	BROKEN PIPE IN APT 3.
9602754	2/23/96	41	46 HUNTINGTON PK	DEFECTIVE GAS STOVE, RGE RESPONDED.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0204551	3/04/02	41	48 HUNTINGTON PK	GAS LEAK FROM STOVE, HOT WATER HEATER, HANDLED BY RG&E.
0300617	1/08/03	32	48 HUNTINGTON PK	EMS, FOR MATERNITY, AMB ON LOC WITH RFD, PT NEEDED RIDE, NO PT CONTACT .
0514560	7/07/05	32	48 HUNTINGTON PK	EMS, PREGNANCY, PCR #05143631.
0522025	10/04/05	41	48 HUNTINGTON PK	STOVE PROBLEM, RG&E TO HANDLE.
8109812	12/09/81	32	48 HUNTINGTON PK	PATIENT TAKEN TO HOSPITAL BY NATIONAL. NO DUTY.
8408115	10/07/84	31	48 HUNTINGTON PK	AMBULANCE CODE #9 - 1001 HRS.
8408138	10/07/84	31	48 HUNTINGTON PK	ASSISTED MONROE AMBULANCE PERSONNEL WITH OBESE PATIENT.
9001925	2/26/90	31	48 HUNTINGTON PK	SEIZURE AND BIT HIS TONGUE. NATIONAL AMBULANCE TRANSPORTED TO HOSPITAL .
9400404	1/08/94	51	48 HUNTINGTON PK	CHILD LOCKED IN CAR. RPD OPENED DOOR WITH A SLIM JIM. NO OTHER PROBLEM
9618429	12/28/96	25	48 HUNTINGTON PK	FOOD ON STOVE - UNATTENDED PERSON SLEEPING, TENANT WIL CLOSE &_____ LOCKED APT
9715649	9/26/97	32	48 HUNTINGTON PK	RURAL METRO HANDLED NO PT CONTACT

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0107137	4/12/01	41	50 HUNTINGTON PK	ODOR OF GAS W/FURNACE IN APT. RG&E ON SCENE TO HANDLE.
0109106	5/08/01	41	50 HUNTINGTON PK	FUMES CALL. RG&E ON LOCATION. PROBLEM WITH VENT PIPE.
0109460	5/14/01	41	50 HUNTINGTON PK	RESPONDED FOR ODOR OF NATURAL GAS. NO CAUSE FOUND. RG&E TO SEE TENANT.
0118725	9/14/01	41	50 HUNTINGTON PK	FUMES SMELLED IN APARTMENT, COULD FIND NO CAUSE, ELECT. BREAKER HAD KI CKED.BLDG MAINT. TO HANDLE.
0220306	9/29/02	41	50 HUNTINGTON PK	FUMES CALL, PROBLEM WITH STOVE, RG&E TO FOLLOW UP.
0327858	12/09/03	31	50 HUNTINGTON PK	SENT FOR EMS, R/M ON LOC SAME TIME AS RFD, R/M HANDLED PT CARE.
0412150	6/02/04	53	50 HUNTINGTON PK	SMOKE IN APT FROM COOKING, APT VENTED, MAINT TO HANDLE CLOSING WINDOW & RESET FIRE ALARM, APT 2.
0413125	6/14/04	46	50 HUNTINGTON PK	MVA 1 CAR STOLEN/ABANDONED, FLUSH OF RADIATOR FLUID.
0416941	8/02/04	31	50 HUNTINGTON PK	EMS, TROUBLE BREATHING, NO PCR.
0418897	8/27/04	31	50 HUNTINGTON PK	EMS, SEIZURES, APT 4.
0421226	9/21/04	31	50 HUNTINGTON PK	EMS, AMB ON SCENE WITH RFD.
0511217	5/29/05	31	50 HUNTINGTON PK	EMS, FEMALE FELL ON KNIFE, AMB HANDLED, NO EMS PROVIDED BY RFD.
0512176	6/09/05	31	50 HUNTINGTON PK	ASSISTED R/M WITH LIFTING VERY LG WOMAN FROM APT.
0513256	6/21/05	32	50 HUNTINGTON PK	EMS CALL FOR MULT VICTIMS OF GUNSHOT WOUNDS,3 PERSONS CONFIRMED SHOT,P CK/TRANSP,RPD O/S,Q6 HANDLE PCR.
0521832	10/02/05	31	50 HUNTINGTON PK	EMS, PEDIATRIC TBL BREATHING, AMB ON SCENE SAME TIME AS RFD, NO PT CON TACT.
8408879	11/01/84	73	50 HUNTINGTON PK	LOCAL ALARM MALFUNCTIONED - CALLED BY RESIDENT (TYPE 1 ALARM).
8606660	7/24/86	74	50 HUNTINGTON PK	

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9203304	3/27/92	31	50 HUNTINGTON PK	PARAMEDIC FROM NATIONAL STATED THEY DIDN'T NEED FIRE DEPT, PATIENT D.O.A.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0004243	2/27/00	53	64 HUNTINGTON PK	SMOKE/ODOR IN APT DUE TO PERSON COOKING ON 1ST FL LEVEL APT NO FIRE __ ALARM ACTIVATED IN APT
0006560	4/01/00	32	64 HUNTINGTON PK	ASTHMA PATIENT WANTING TRANSPORT TO HOSPITAL FOR MEDICATION AMB HANDLE
0012037	6/13/00	31	64 HUNTINGTON PK	EMS FOR CHEST PAIN PCR 42746411
0109924	5/20/01	65	64 HUNTINGTON PK	CALLED FOR CAR SMOKING. WAS ACTUALLY STEAM FROM OVERHEATED ENGINE. RPD ON SCENE FOR REPORT AND TOW.
0224428	11/24/02	53	64 HUNTINGTON PK	SMOKE FROM SELF CLEANING OVEN, NO NEED FOR RFD.
8407318	9/08/84	48	64 HUNTINGTON PK	FIRE OUT ON ARRIVAL - CHILD WHO WITNESSED FIRE LIVES AT 72 HUNTINGTON PL - SEE REPORT FOR DETAILS.
9113875	10/31/91	52	64 HUNTINGTON PK	WATER PIPE BROKEN OFF IN FRONT OF SHUT OFF. WATER HAS TO BE SHUT OFF O UTSIDE HOUSE. WATER DEPT HANDLED.
9615142	10/29/96	33	64 HUNTINGTON PK	CHILD LOCKED IN CAR.
9720452	12/19/97	33	64 HUNTINGTON PK	FORCE ENTRY FOR AMB
9720717	12/25/97	31	64 HUNTINGTON PK	EMS FOR TROUBLE BREATHING RM ON SCENE UPON ARRIVAL RELEASING US
9801691	1/25/98	53	64 HUNTINGTON PK	OVERDONE FOOD OF STOVE SMOKE VENTED NO EXTENSION OCCUPANTS REFUSE_____ MEDICAL

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0426792	12/03/04	11	66 HUNTINGTON PK	OVEN FIRE, FOOD LEFT IN OVEN WHILE IN SELF CLEANING MODE.
0426796	12/03/04	91	66 HUNTINGTON PK	SMOKE DETECTOR INSTALL, 501 WRITTEN FOR FIRE SAFETY, NO RFD 501 WITH THIS FIFI.
0510361	5/18/05	31	66 HUNTINGTON PK	EMS, NO PCR.

ALL RUNS

SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0108002	4/24/01	11	72 HUNTINGTON PK	TWO FIRES: 1ST IN ROOF OF ATTACH. SHED, 2ND IN FLOORING IN LIVING ROOM RG&E O/S,NET O/S. SEE REPORT.
8002757	4/18/80	32	72 HUNTINGTON PK	OCCUPANT FELL FROM BED REFUSED MEDICAL AND OR AMBULANCE.
8102833	4/11/81	23	72 HUNTINGTON PK	GRASS BURNING IN REAR OF HOUSE, PUT OUT BY OWNER.
9812898	7/27/98	53	72 HUNTINGTON PK	MEAT ON THE STOVE QM6 VENTILATED

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8000092	1/04/80	39	76 HUNTINGTON PK	LOCK IN BATH ROOM.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0004189	2/26/00	41	80 HUNTINGTON PK	MINOR GAS LEAK AT STOVE IN APT 2 SERVICE TO STOVE SHUT DOWN
0023158	11/08/00	11	80 HUNTINGTON PK	GARAGE FIRE, VACANT HOUSE, NET EVALUATE FOR DEMOLITION, OWNER CONT,___ DID NOT RESPOND.
0101438	1/22/01	11	80 HUNTINGTON PK	MINOR STRUCTURE FIRE, VACANT HOUSE, MATTRESS IGNITED CONTENTS, MANY___ OTHER PREVIOUS SPOT FIRES.
0218840	9/09/02	41	80 HUNTINGTON PK	STOVE PROBLEM, RG&E HANDLING.
0220431	10/01/02	55	80 HUNTINGTON PK	MAN WITH KNIFE WAS LOCKED IN APT, POLICE MADE ENTRY PRIOR TO RFD ASSIS TANCE.
0221743	10/18/02	31	80 HUNTINGTON PK	EMS, ASSIST AMB WITH STABBING IN CHEST.
0418087	8/17/04	11	80 HUNTINGTON PK	GARAGE FIRE, EXTERIOR WALL DAMAGED, #4 SIDE, UNDER INVESTIGATION.
0501350	1/18/05	11	80 HUNTINGTON PK	RESP IN SVC FOR REPORTED FIRE,OUT AT SCENE OF RES BURGLARY,O/S W/PROP REP,EVID OF FIRE ON STOVE TOP.
0514513	7/06/05	32	80 HUNTINGTON PK	EMS, CHILD BURNED ON FEET.
8605439	6/18/86	52	80 HUNTINGTON PK	VALVE ON WATER LINE LEAKING. PIPE SUPPLIES WATER TO HOT WATER TANK.
8771340	11/20/87	11	80 HUNTINGTON PK	GARBAGE CAN FIRE 87324/1838
8808292	8/16/88	53	80 HUNTINGTON PK	FOOD ON THE STOVE 88229/1430
8901054	1/31/89	11	80 HUNTINGTON PK	VENTILATED WITH FAN 89031/0342
9002644	3/17/90	11	80 HUNTINGTON PK	FOOD ON THE STOVE.
9114622	11/19/91	11	80 HUNTINGTON PK	FOOD ON STOVE.
9602316	2/15/96	14	80 HUNTINGTON PK	SMALL FIRE IN ENGINE COMPARTMENT DUE TO HOSE TO AIR CLEANER DROPPING D OWN & HAD CONTACT W/HOT ENGINE.
9616568	11/24/96	31	80 HUNTINGTON PK	EMS, CHILD CHOKING

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9821434	11/24/98	32	80 HUNTINGTON PK	EMS MATERNITY PCR 40549228
9821764	11/29/98	32	80 HUNTINGTON PK	EMS CALL FOR AGE 37 PREGNANT BLEEDING AMB TRANSPORTS
9822362	12/08/98	31	80 HUNTINGTON PK	EMS IMMINENT BIRTH NO PT CONTACT

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0001300	1/17/00	52	86 HUNTINGTON PK	BROKEN WATER PIPE ON 2ND FL WATER SHUT OFF ELEC SHUT OFF TO JUNCTION__ BOXES & LIGHT THAT GOT WET
0009277	5/10/00	11	86 HUNTINGTON PK	FIRE IN 2ND FL SPREAD TO ATTIC HOUSE WAS VACANT RGE CUT POWER CITY____ BOARD UP NO OWNER ON SCENE
8001965	3/18/80	12	86 HUNTINGTON PK	INSULATION ON WIRES, OUT ON ARRIVAL.
8201192	2/07/82	11	86 HUNTINGTON PK	OUT ON ARRIVAL.
8402111	3/19/84	11	86 HUNTINGTON PK	CAR 94, MANCINI ON SCENE-NO EXTINGUISHER USED
8402198	3/22/84	11	86 HUNTINGTON PK	OUT ON ARRIVAL-CAR 93, NUGENT INVESTIGATED-REPORTED SUSPECT IN BUILD- ING
8402199	3/22/84	55	86 HUNTINGTON PK	ASSIST CAR 93 ON CODE-2
9104830	3/24/91	32	86 HUNTINGTON PK	ASSIST NATIONAL WITH A MATERNATY PROBLEM.
9314112	10/28/93	51	86 HUNTINGTON PK	ASSIST NATIONAL AMBULANCE WITH LIFTING.
9408321	7/04/94	53	86 HUNTINGTON PK	STEREO SPEAKERS OVER HEATING & GIVING OFF ELECTRICAL ODOR, RFD DISCONN ECTED SPEAKERS.
9702014	2/09/97	31	86 HUNTINGTON PK	4 MOS PREGNANT FEMALE FAINTED & HIT HER HEAD, WAS AT 1106 ST PAUL BUT_ MOVED TO APT AT 86 HUNTINGTON
9709138	6/12/97	32	86 HUNTINGTON PK	EMS WOMAN HEMORRHAGING SEE ATTACHED PCR 46284868
9814844	8/24/98	11	86 HUNTINGTON PK	NO BATTERY IN APT SMOKE DET 2ND FL HALL DETECTOR WOULD NOT TEST 2ND___ FL APT DETECTOR MISSING
9900761	1/10/99	41	86 HUNTINGTON PK	PILOT LIGHTS OUT ON STOVE RELITE AND REFERRED TO RGE
9917303	8/15/99	41	86 HUNTINGTON PK	GAS LEAK FROM STOVE APPLIANCE SHUT OFF BASEMENT DOOR FORCED FOR RGE___ DOOR SECURED WITH NAILS

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8507786	9/13/85	16	90 HUNTINGTON PK	YOUNGSTERS STARTED SOME PAPER ON FIRE. FIRE WAS OUT ON E02S ARRIVAL.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0419143	8/30/04	52	92 HUNTINGTON PK	RESIDENTIAL WATER PROBLEM, RESIDENT STATES 4 INCHES H2O FROM RAIN, RECEDED ON OUR ARRIVAL.
8609616	10/16/86	52	92 HUNTINGTON PK	86289/0326
9008585	8/04/90	14	92 HUNTINGTON PK	HOSES TO CARBURATOR OF CAR AND AIR CLEANER MELTED FROM HEAT OF SPILLED FUEL AROUND ENGINE.
9212386	10/04/92	63	92 HUNTINGTON PK	FIREPLACE MISTAKEN FOR HOSTILE FIRE BY NEIGHBOR.
9607600	6/07/96	33	92 HUNTINGTON PK	ASSISTED CITIZEN W/CHILD LOCKED IN CLOSET.

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0110931	6/03/01	71	100 HUNTINGTON PK	FALSE CALL FROM CELL PHONE. R/M HAD EARLIER FALSE CALL FOR SAME ADDRES S. SEE REPORT.
0113395	7/04/01	32	100 HUNTINGTON PK	EMS FOR CARDIAC ARREST. R/M ON LOC. AT SAME TIME. SEE PCR #05045420.
0500170	1/02/05	32	100 HUNTINGTON PK	EMS, TROUBLE BREATHING, PCR #05119730.
9505049	4/22/95	55	100 HUNTINGTON PK	ASSIST ANIMAL CONTROL W/TRAPPED ANIMAL.
9806976	4/30/98	53	100 HUNTINGTON PK	SMOKE IN AREA FROM COOKING FIRE

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8802208	3/06/88	14	106 HUNTINGTON PK	FIRE CAUSED BY A PORTABLE SPOTLIGHT LEFT BURNING UPSIDE DOWN ON FRONT SEAT 88066/0698

ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9013512	12/02/90	31	110 HUNTINGTON PK	ASSISTED NATIONAL WITH CPR.

2 - 110 HUNTINGTON PKROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
5/1/07 8:23	2007010349	412	40	HUNTINGTON PK	pilot light out on stove
5/3/07 20:16	2007010552	311	40	HUNTINGTON PK	EMS TROUBLE BREATHING
9/4/07 5:29	2007021646	322	40	HUNTINGTON PK	EMS - FOOT INJURY
1/3/10 12:56	2010000196	411	40	HUNTINGTON PK	gasoline fumes from a snowblower in storage garage,blower removed
4/24/10 22:22	2010009298	412	40	HUNTINGTON PK	PROBLEM WITH GAS STOVE. RG&E ON SCENE WILL HANDLE.
4/24/10 22:43	2010009300	9111	40	HUNTINGTON PK	INSTALL A CO DETECTOR 1LR 12446
1/29/11 22:57	2011002553	321	40	HUNTINGTON PK	EMS on scene with ambulance
5/26/13 10:11	2013012452	311	40	HUNTINGTON PK	investigate child burned by hot oil. child in the care of rural metro on our arrival, witnesses stated child pulled a pan off of the stove. No fire or damage to structure.
6/22/06 20:58	2006013313	500	42	HUNTINGTON PK	RESPONDED FOR A PERSON LOCKED INSIDE THE APARTMENT. FD ASISSTED OCCUPANT WITH LUBRICATING THE DOOR FRAME. OCCUPANT WILL CONTACT MAINTENANCE.
11/30/09 20:00	2009028584	611	42	HUNTINGTON PK	PERSON LOCKED OUT OF THEIR APARTMENT. FD CANCELLED BY RPD.
1/12/06 16:56	2006000824	300	44	HUNTINGTON PK	RELEASED BY AMB. AMB ON SCENE WITH RFD
2/11/06 9:57	2006002916	520	44	HUNTINGTON PK	WATER PROBLEM/HOLE IN HOT WATER PIPE
2/11/06 10:25	2006002918	900	44	HUNTINGTON PK	BATTERY INSTALL IN SMOKE DETECTOR
12/6/06 4:32	2006027316	300	44	HUNTINGTON PK	RESPONDED EMS FOR THE MATERNITY. AMBULANCE ON LOCATION WITH FD, NO PATIENT CONTACT.
4/24/07 8:42	2007009727	321	44	HUNTINGTON PK	29 YO FEMALE TROUBLE BREATHING, HISTORY OF ASTHMA. AMBULANCE HANDLED.
8/5/08 9:37	2008019356	412	44	HUNTINGTON PK	ODOR OF NATURAL GAS OUTSIDE BUILDING - REPORTED TO RG&E BY RESIDENT OF BUILDING - LEAK FOUND IN REGULATOR CONNECTION - RG&E PERSONNEL TO STAND BY AND WAIT FOR NATURAL GAS TRUCK
3/9/09 10:33	2009005658	412	44	HUNTINGTON PK	NATURAL GAS ODOR FROM INSTALLATION OF NEW STOVE,RG&E CANCELLED
4/16/07 9:46	2007008954	412	46	HUNTINGTON PK	FUMES CALL/STOVE SHUT OFF/OCC. TO WAIT FOR RGE
4/14/10 1:09	2010008453	311	46	HUNTINGTON PK	- EMS, FD HAD NO PT. CONTACT - RURAL-METRO ALS TO HANDLE ENTIRE CALL
10/26/10 9:44	2010025943	311	46	HUNTINGTON PK	16YR PREGNANT 5 WEEKS 1ST PREG ABDOMINAL PAIN WITH SPOTTING AMBULANCE TO TRANSPORT.
1/13/12 11:50	2012001096	671	46	HUNTINGTON PK	passer by alerted meter reader that when walking by exterior gas meters sometimes he smells gas. complaintant walked off prior to fd arrival, fd checked area around meeters and found no leaks. meeter reader awaiting rg&e gas to follow up.
4/4/08 0:28	2008008495	321	48	HUNTINGTON PK	EMS- MATERNITY
10/26/06 21:10	2006024132	621	48	HUNTINGTON PK	REPORTED CHIMNEY FIRE; WRONG LOCATION PROVIDED. REDISPATCHED FOR THE PROPER COUNTY DEPARTMENT. NO DUTY FOR THE RFD'S ASSIGNMENT.
2/17/07 13:43	2007003949	300	48	HUNTINGTON PK	EMS NO PT CONTACT
9/4/09 4:24	2009021343	311	48	HUNTINGTON PK	assist ambulance female with tooth ace. No pt contact.

2 - 110 HUNTINGTON PKROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
6/3/11 0:54	2011013210	311	48	HUNTINGTON PK	ems for female bleeding. RMMS inside pt's apt. before RFD. RMMS stated RFD was all set. RFD with no pt contact
11/17/12 21:16	2012029341	311	48	HUNTINGTON PK	Responded ems for the pregnancy. Patient care handled by the ambulance.
2/12/08 9:44	2008003980	321	50	HUNTINGTON PK	EMS FOR 17 YO FEMALE
2/22/08 15:07	2008004931	311	50	HUNTINGTON PK	ems- maternity - ambulance to pt same time as M6 1512 no pt. contact no pcr
3/23/08 6:15	2008007515	300	50	HUNTINGTON PK	EMS NO PT CONTACT. AMB ONSCENE PRIOR TO THIS UNIT, WALKING PT. TO AMB. NO NEED FOR FD.
7/15/07 12:14	2007017124	311	50	HUNTINGTON PK	EMS ON LOCATION WITH AMB AMB TO HANDLE
4/1/10 15:41	2010007350	412	50	HUNTINGTON PK	REPORT OF ODOR OF NATURAL GAS IN APT. 1. COMPLAINT OF ILLNESS. SEE PCR. AMBULANCE CALLED TO CHECK PATIENT. FD GOT READING OF 2PPM CO AND 1% LEL GAS. SMALL LEAK FOUND AT BACK OF GAS STOVE. RG&E TO FOLLOW UP. FD INSTALLED CO DETECTOR IN APARTMENT.
4/1/10 15:58	2010007352	9111	50	HUNTINGTON PK	INSTALL A CO DETECTOR 12414 B BR
7/24/13 6:23	2013018140	321	50	HUNTINGTON PK	EMS call, no PCR. RMMS AMB 909 transported.
1/12/08 22:54	2008001206	911	64	HUNTINGTON PK	FURNACE PROBLEM/RGE ON LOCATION
1/12/08 23:57	2008001208	911	64	HUNTINGTON PK	CO DET. INSTALL
12/19/07 15:18	2007030815	424	64	HUNTINGTON PK	CHECK CO LEVELS - NOTHING FOUND AT THIS TIME - MINOR NATURAL GAS LEAKS FOUND IN BASEMENT - OCCUPANTS STATED THAT THEY DID NOT NEED AMBULANCE AT THIS TIME - RG&E ON LOCATION TO CHECK FURTHER AND CORRECT PROBLEMS
12/25/07 11:03	2007031288	412	64	HUNTINGTON PK	FUMES CALL/RGE TO CHECK/MINOR PAST LEAK FROM BEFORE RGE HAS RED TAG ON SPOT
9/24/10 21:12	2010023180	440	64	HUNTINGTON PK	Branch fell on cable and phone wires, tennants had rg&e respond earlier and wanted second opinion. landlord called by tennants.
8/11/07 21:38	2007019600	300	66	HUNTINGTON PK	RESPOND FOR EMS ON LOCATION WITH AMB. AMB TO HANDLE.
4/12/06 19:08	2006007515	550	72	HUNTINGTON PK	FRY INTERVENTION
10/21/07 19:16	2007025691	163	72	HUNTINGTON PK	sent for fire type unknown turned out to be a gas can too close to a contained fire pit. Fire pit was on porch at time of incident and fumes from the gas can caused a flash fire. There was no structural damage to house fire only spread to a chair and couch cushion. Two people were transported by ambulance for 2nd degree burns on less than 4% of body. 1 person burn't on lower left leg other person burned on lower right arm. EMS was administered by QM-6. Porch flushed by RFD and there were no fumes in house. House had working smoke detectors.
11/12/09 15:23	2009027267	131	72	HUNTINGTON PK	Report of a vehicle fire, QM6 were on location with a fire in the engine compartment of a 1996 Dodge Intrepid, with no exposures. Car 92 handled the investigation.
10/17/12 8:51	2012026273	311	72	HUNTINGTON PK	EMS- ON SCENE WITH AMBULANCE
11/1/12 7:23	2012027790	321	72	HUNTINGTON PK	EMS CHEST PAINS
4/10/08 23:09	2008009105	531	80	HUNTINGTON PK	Smoke from overcooked food, Q6 ventilated
8/18/07 17:02	2007020229	412	80	HUNTINGTON PK	FUMES FROM FLEX HOSE TENNANT DISCONNECTED.
8/25/07 13:45	2007020838	412	80	HUNTINGTON PK	FUMES CALL, PILOT OUT.

2 - 110 HUNTINGTON PKROCHESTER FIRE DEPARTMENT
RUNS TO

EVEN NUMBER ADDRESSES

DATE		SITUATION		ADDRESS	REMARKS
4/22/10 13:33	2010009114	311	80	HUNTINGTON PK	shooting
4/1/13 7:30	2013007570	321	80	HUNTINGTON PK	EMS call no PCR RMMS transported.
4/6/13 20:00	2013008036	321	80	HUNTINGTON PK	EMS call, no PCR RMMS AMB transported, RPD was present because of family trouble.
6/2/11 16:30	2011013170	311	92	HUNTINGTON PK	ems
7/9/12 17:09	2012016467	113	92	HUNTINGTON PK	burned food, occupant spryed extinguisher prior to fd arrival, was cleaning kitchen pta. t6 ran fan, investigated finding dicolored pan, no structural involvement, no actual signs of flame.
7/9/12 17:16	2012016468	745	100	HUNTINGTON PK	Released from stove fire next door at #92 to check residential automatic alarm at this location. No one home, no contact. FD gained access through an open window on the "B" side of the house. FD checked entire house, no apparent cause for the alarm. FD tripped burglar alarm while they were investigating. FD re-secured window and exited house through door on "B" side. FD was unable to lock the door from the outside. FD left RFD form 138 in mailbox. No damage done by FD.
10/17/06 5:01	2006023291	300	106	HUNTINGTON PK	EMS NO PT CONTACT