


**NOTES:**

- TOP OF CURB THICKNESS IS TO BE AS REQUIRED IN CONTRACT DOCUMENTS.
- CURB REVEAL FOR HEADER CURB AT DRIVEWAY APRONS IS 1 1/2 INCHES, AT SIDEWALK ACCESS RAMPS 0 INCHES.
- ONLY TRANSITION AND HEADER CURB PIECES USED FOR DRIVEWAYS ARE TO BE ROUNDED.

**CITY OF ROCHESTER**

**STONE CURB**

ISSUED 9-2-91 STANDARD  
REVISED 2-25-14 DWG.NO.R609-1




**CITY OF ROCHESTER**

**NEW CURB TRANSITION TO EXISTING CURB**

ISSUED 9-2-91 STANDARD  
REVISED 12-30-11 DWG.NO.R609-7


**NOTE:**  
LENGTH OF STRAIGHT CURB WILL BE AS REQUIRED IN CONTRACT DOCUMENTS, WITH 3 FEET MINIMUM.



**CITY OF ROCHESTER**

**STONE CURB AT CONCRETE GUTTER**


ISSUED 5-16-14 NON-STANDARD  
REVISED DWG.NO.S609-22



**CITY OF ROCHESTER**

**COMMERCIAL HANDRAIL**

ISSUED 5-17-94 NON-STANDARD  
REVISED 9-30-98 DWG.NO.S563-1




**CITY OF ROCHESTER**

**ASPHALT PAVEMENT SECTION WITH CONCRETE GUTTER**

PAVEMENT SECTION	X" THICKNESS BASE COURSE	A (E UNDERDRAIN PIPE)	B (BOTTOM UNDERDRAIN TRENCH)
LIGHT-DUTY	0"	2'-2"	2'-10"
MEDIUM-DUTY	3"	2'-5"	3'-1"

ISSUED 9-2-91 STANDARD  
REVISED 7-31-12 DWG.NO.R400-2




**CITY OF ROCHESTER**

**CONCRETE GUTTER**

ISSUED 9-2-91 STD. DWG.  
REVISED 12-6-93 NO. R624-1

**NOTES:**

- USE CLASS K CONCRETE FOR CONVENTIONALLY FORMED GUTTERS, AND CLASS I CONCRETE FOR MACHINE FORMED GUTTERS.
- CONCRETE GUTTERS ARE TO BE CONSTRUCTED IN 10 FOOT SECTIONS.
- EXPANSION JOINTS ARE TO BE PROVIDED AT 20 FOOT INTERVALS AND ARE TO BE 3/4 INCH IN WIDTH.




**CITY OF ROCHESTER**

**VEHICLE BARRIER GATE**

ISSUED 8-15-14 NON-STANDARD  
REVISED DWG.NO.S607-1

**NOTES:**

- GATE TO BE TUBULAR GALVANIZED STEEL SHOP PAINTED WITH SAFETY YELLOW ALKYD ENAMEL PAINT.
- GATE TO BE CAPABLE OF SWINGING OPEN, ROTATING FULL CIRCLE.
- GATE IS TO BE LOCKABLE. PROVIDE HEAVY-DUTY WEATHER PROOF SECURITY LOCK WITH 3 KEYS.
- EPOXY ACORN CAP BEFORE WEDGING IN PLACE.



**CITY OF ROCHESTER**

**STEEL BOLLARD**

ISSUED 9-2-91 STANDARD  
REVISED 7-31-12 DWG.NO.R615-1

**NOTE:**  
STEEL BOLLARD TO BE 4 OR 6 INCH O.D. EXTRA STRENGTH GALVANIZED STEEL PIPE.

Department of Environmental Services  
Architecture and Engineering Services  
City of Rochester, New York

MANAGING ENGINEER: ALBERT J.GIULIO.P.E.  
CITY ENGINEER: JAMES R.MAINTOSH.P.E.

PROJECT TITLE: STREET IMPROVEMENT PROGRAM HINCHER GROUP

ISSUED	CHECKED	DRAWN	DESIGN	SCALE	PROJECT NUMBER	NO.	REVISION	BY	DATE
JUNE 1, 2015	LYR	RKS	LYR	NONE	12109				

DRAWING NO. 36 OF 50

DETAILS